


B|EST[®]
М'ЯКІ МЕБЛІ

BARRI

Technical Reference Book and
Assembly and Operation Guide



BARRI

In the production of our furniture, we focus on using only high-quality components and modern technologies.

"Barri" model is a set of modern upholstered furniture for the office and home, designed and manufactured to meet the requirements of functionality and ergonomics, using quality and environmentally friendly materials in accordance with GOST 16371 and GOST19917.

The products are manufactured in the conditions of functioning of the certified Quality Management System ISO 9001: 2015 (certificate number UA228155 / 1

This model combines the safe and simple mechanism of transformation with full comfort feeling due to unique system of fillers and the availability of a large place for bed linen.

Soft sidewalls and pillows have the same original stitches.

A three seater sofa and various variations of the Barry corner set can be complemented by an armchair, armchair-bed and pouf with a place for linen.

Unlike the sofa and corner products, which have the ability to choose the original sidewalls of various sizes, the chair and armchair-bed are produced only with soft narrow sidewalls.

The armchair bed has a mechanism of transforming named "Eurobook". The full bed size of the chair-bed is achieved by Pouf M.

The combination of zigzag spring with highly elastic polyurethane of high comfort as the main material of the model allows you to use the product as a bed with an orthopedic effect.

The cover of the model can be made of natural leather.

Orders for "Pouf M Leather" are accepted in an amount not less than 2 pcs. in one kind of leather of the same article or 1 pc. to any leather product of the same article.

The main materials used to make the Barry model:

Seat: Pine wood, chipboard, spring zigzag, felt, polyurethane foam, sintepon;

Backrest: Pinewood, fiberboard, spring zigzag, felt, polyurethane foam, sintepon;

Storage: Particleboard laminated, fiberboard laminated, hardwood, plywood; Sidewall: Pine wood, chipboard,

fibreboard, plywood, chipboard laminated, polyurethane foam, sintepon;

Pillows: sintepon, polyurethane foam.

Legs (sidewalls, AM, 1M): Laminated chipboard (colors in assortment)

Legs (2TM, 3TM): hardwood (colors in assortment)

Maximal load acceptable for the model:













- Sleeping area: dynamic load up to 200 kg
static load up to 240 kg
- sidewall: dynamic load up to 20 kg
static load to 30 kg
- place for linen: maximum load up to 15 kg

used only for lingerie storage!

The manufacturer reserves the right to make changes in the design of furniture, without prior informing.

BEST®













BARRI Parts of the model

 <p>L 2600*; B 1060; H** 720; СПМ 1530 x 2000 BC 420</p>	DL 3	<p>Barri: Sofa bed</p>	 <p>L 2600*; B 1060; H** 720; СПМ 1530 x 2000 BC 420</p>	BKR/3TM/BKL	<p>Barri: combined right sidewall; triple section with transformation with storage; combined left sidewall</p>
 <p>L 2600*; B 1060; H** 720; СПМ 1530 x 2000 BC 420</p>	BMR/3TM/BKL	<p>Barri: soft right sidewall; tripole section with transformation with storage; combined left sidewall</p>	 <p>L 2600*; B 1060; H** 720; СПМ 1530 x 2000 BC 420</p>	BKR/3TM/BML	<p>Barri: combined right sidewall; triple section with transformation with storage; soft left sidewall</p>
 <p>L 2720*; B 1530; H** 720; СПМ 1530 x 2120 BC 420</p>	BMR/2TMR-AML/BKXL	<p>Barri: soft right sidewall; double section with transformation with storage right; A section with storage left ; combined enlarged left sidewall</p>	 <p>L 2720*; B 1530; H** 720; СПМ 1530 x 2120 BC 420</p>	BKXR/AMR-2TML/BML	<p>Barri: combined enlarged right sidewall; A section with storage, right; double section with transformation with storage left; soft left sidewall.</p>
 <p>L 2720*; B 1530; H** 720; СПМ 1530 x 2120 BC 420</p>	BMR/2TMR-AML/BMXL	<p>Barri: soft right sidewall; double section with transformation with storage right; A section with storage left ; soft enlarged left sidewall</p>	 <p>L 2720*; B 1530; H** 720; СПМ 1530 x 2120 BC 420</p>	BMXR/AMR-2TML/BML	<p>Barri: soft enlarged right sidewall; A section with storage, right; double section with transformation with storage left; soft left sidewall.</p>
 <p>L 2720*; B 1530; H** 720; СПМ 1530 x 2120 BC 420</p>	BKR/2TMR-AML/BKXL	<p>Barri: combined right sidewall; double section with transformation with storage right; A section with storage left ; combined enlarged left sidewall.</p>	 <p>L 2720*; B 1530; H** 720; СПМ 1530 x 2120 BC 420</p>	BKXR/AMR-2TML/BKL	<p>Barri: combined enlarged right sidewall; A section with storage, right; double section with transformation with storage left; combined left sidewall.</p>
 <p>L 2720*; B 1530; H** 720; СПМ 1530 x 2120 BC 420</p>	BKR/2TMR-AML/BMXL	<p>Barri: combined right sidewall; double section with transformation with storage right; A section with storage left ; soft enlarged left sidewall.</p>	 <p>L 2720*; B 1530; H** 720; СПМ 1530 x 2120 BC 420</p>	BMXR/AMR-2TML/BKL	<p>Barri: soft enlarged right sidewall; A section with storage, right; double section with transformation with storage left; combined left sidewall.</p>

*) - Dimensions are shown as reference, permissible deviation is ± 20 mm.





**) - A - Height of product excluding the pillows height

BARRI
Models with narrow sidewalls

 L 2400*; B 1060; H** 720; СПМ 1530 x 2000 BC 420	DL3 Y	Barri: Sofa bed with narrow sidewalls	 L 2400*; B 1060; H** 720; СПМ 1530 x 2000 BC 420	BKYR/3TM/BKYL	Barri: combined narrow right sidewall; triple section with transformation with storage; combined narrow left sidewall
 L 2400*; B 1060; H** 720; СПМ 1530 x 2000 BC 420	BMYR/3TM/BKYL	Barri: soft narrow right sidewall; triple section with transformation with storage, combined narrow left sidewall.	 L 2400*; B 1060; H** 720; СПМ 1530 x 2000 BC 420	BKYR/3TM/BMYL	Barri: combined narrow right sidewall; triple section with transformation with storage; soft narrow left sidewall
 L 2520*; B 1530; H** 720; СПМ 1530 x 2120 BC 420	BMYR/2TMR-AML/ BKXYL	Barri: soft narrow right sidewall; double section with transformation with storage, right; A section with storage left; combined narrow enlarged left sidewall	 L 2520*; B 1530; H** 720; СПМ 1530 x 2120 BC 420	BKXYR/AMR-2TML/BMYL	Barri: combined enlarged narrow right sidewall; A section with storage, right; double section with transformation with storage left; soft narrow left sidewall
 L 2520*; B 1530; H** 720; СПМ 1530 x 2120 BC 420	BMYR/2TMR-AML/ BMXYL	Barri: soft narrow right sidewall; double section with transformation with storage, right; A section with storage left; soft narrow enlarged left sidewall	 L 2520*; B 1530; H** 720; СПМ 1530 x 2120 BC 420	BMXYR/AMR-2TML/BMYL	Barri: soft enlarged narrow right sidewall; A section with storage, right; double section with transformation with storage left; soft narrow left sidewall
 L 2520*; B 1530; H** 720; СПМ 1530 x 2120 BC 420	BKYR/2TMR-AML/ BKXYL	Barri: combined narrow right sidewall; double section with transformation with storage, right; A section with storage left; combined narrow enlarged left sidewall	 L 2520*; B 1530; H** 720; СПМ 1530 x 2120 BC 420	BKXYR/AMR-2TML/BKYL	Barri: combined enlarged narrow right sidewall; A section with storage, right; double section with transformation with storage left; combined narrow left sidewall
 L 2520*; B 1530; H** 720; СПМ 1530 x 2120 BC 420	BKYR/2TMR-AML/ BMXYL	Barri: combined narrow right sidewall; double section with transformation with storage, right; A section with storage left; soft narrow enlarged left sidewall	 L 2520*; B 1530; H** 720; СПМ 1530 x 2120 BC 420	BMXYR/AMR-2TML/BKYL	Barri: soft enlarged narrow right sidewall; A section with storage, right; double section with transformation with storage left; combined narrow left sidewall

*) - Dimensions are shown as reference, permissible deviation is ± 20 mm.









**) - A - Height of product excluding the pillows height

 <p>L 1020*; B 930; H 720; BC 440</p>	<p>K1</p>	<p>Barri: <i>Armchair with storage</i></p>	 <p>L 1100*; B 1570; H 720; СПИМ 710 x 2040 BC 440</p>	<p>KB - Pouf M</p>	<p>Barri: <i>Armchair bed with storage</i></p> <p><i>Pouf with storage</i></p>
 <p>L 1100*; B 1070; H 720; BC 440</p>	<p>KB</p>	<p>Barri: <i>Armchair bed with storage</i></p>	 <p>L 500*; B 710; H 440;</p>	<p>Pouf M</p>	<p>Barri: <i>Pouf with storage</i></p>

*) - Dimensions are shown as reference, permissible deviation is ± 20 mm.





**) - A - Height of product excluding the pillows height

Sidewalls can not be operated independently

 <p>L 300*; B 1020; H 620;</p>	BMR	<p>Barri: <i>soft right sidewall:</i></p>	 <p>L 300*; B 1020; H 620;</p>	BML	<p>Barri: <i>soft left sidewall:</i></p>
 <p>L 300*; B 1020; H 620;</p>	BKR	<p>Barri: <i>combined right sidewall:</i></p>	 <p>L 300*; B 1020; H 620;</p>	BKL	<p>Barri: <i>combined left sidewall:</i></p>
 <p>L 190*; B 1020; H 620;</p>	BMYR	<p>Barri: <i>soft narrow right sidewall:</i></p>	 <p>L 190*; B 1020; H 620;</p>	BMYL	<p>Barri: <i>soft narrow left sidewall:</i></p>
 <p>L 190*; B 1020; H 620;</p>	BKYR	<p>Barri: <i>combined narrow right sidewall:</i></p>	 <p>L 190*; B 1020; H 620;</p>	BKYL	<p>Barri: <i>combined narrow left sidewall:</i></p>




*) - Dimensions are shown as reference, permissible deviation is ± 20 mm.

Sets of sections without sidewalls can not be operated!

 <p>L 2450*; B 1740; H** 720; СПМ 1530 x 2250 BC 420</p>	<p>1MR-KR-2TML</p>	<p>Barri: <i>single section with storage right;</i> <i>corner section right;</i> <i>double section with transformation with storage left;</i></p>
 <p>L 2450*; B 1740; H** 720; СПМ 1530 x 2250 BC 420</p>	<p>2TMR-KL-1ML</p>	<p>Barri: <i>double section with transformation with storage right</i> <i>corner section left</i> <i>single section with storage left;</i></p>
 <p>L 3040*; B 1740; H** 720; СПМ 1530 x 2840 BC 420</p>	<p>1MR-KR-3TML</p>	<p>Barri: <i>single section with storage right;</i> <i>corner section right;</i> <i>triple section with transformation with storage left;</i></p>
 <p>L 3040*; B 1740; H** 720; СПМ 1530 x 2840 BC 420</p>	<p>3TMR-KL-1ML</p>	<p>Barri: <i>triple section with transformation with storage right;</i> <i>corner section left;</i> <i>single section with storage left</i></p>




*) - Dimensions are shown as reference, permissible deviation is ± 20 mm.

***) - A - Height of product excluding the pillows height

	<p>P54</p>	<p>Barri:</p> <p><i>Pillow to:</i> 3TMR 3TML, DL3</p> <p>(205x980x465)*</p>
	<p>P55</p>	<p>Barri:</p> <p><i>Pillow to:</i> 2TMR, 2TML, AMR, AML, KB</p> <p>(205x680x465)*</p>
	<p>P89</p>	<p>Barri:</p> <p><i>Pillow to:</i> K1</p> <p>(205x600x465)*</p>


*) - the specified dimensions of the covers are given as a reference.

BARRI W/P
Additional products of the model



	<p>K-t P54(2)</p>	<p>Barri w/p: Set of pillows to: 3TMR w/p 3TML w/p DL3 w/p</p>
	<p>K-t P55(3)</p>	<p>Barri w/p: set of pillows to sections: 2TMR w/p 2TMLw/p AMR w/p AML w/p</p>
	<p>K-t P103(2)</p>	<p>Barri w/p: set of pillows to corner sections KL w/p KR w/p (205x850x465)*</p>

*) - the specified dimensions of the covers are given as a reference.


Table of completing model with pillows				
Product name	Pillow to: DL3, 3TMR/3TML	Pillow to: 2TMR/2TML, AMR/AML, KB, 1MR/1ML	Pillow to: K1	Pillow to: KR/KL
	Code P54	Code P55	Code P89	Code P103
K1	-	-	1	-
KB	-	1	-	-
Pouf M	-	-	-	-
KB-Pouf M	-	1	-	-
DL3	2	-	-	-
BMR/3TM/BKL	2	-	-	-
BKR/3TM/BML	2	-	-	-
BKR/3TM/BKL	2	-	-	-
BM R/2TM R-AM L/BMXL	-	3	-	-
BMXR/AMR-2TML/BML	-	3	-	-
BKR/2TMR-AML/BKXL	-	3	-	-
BKXR/AM R-2TM L/BKL	-	3	-	-
BKR/2TMR-AML/BMXL	-	3	-	-
BMXR/AMR-2TML/BKL	-	3	-	-
BMR/2TMR-AML/BKXL	-	3	-	-
BKXR/AM R-2TM L/BM L	-	3	-	-
DL3 Y	2	-	-	-
БМУ R/3TM/БКУ L	2	-	-	-
БКУ R/3TM/Б МУ L	2	-	-	-
БКУR/3TM/БКУL	2	-	-	-
БМУ R/2TM R-AM L/БМУY L	-	3	-	-
БМУYR/AMR-2TM L/БМУ L	-	3	-	-
БКУ R/2TM R-AM L/БКУYI.	-	3	-	-
БКУY R/AM R-2TM L/БКУ L	-	3	-	-
БКУ R/2TM R-AM L/Б МХУL	-	3	-	-
БМУYR/AMR-2TM L/БКУL	-	3	-	-
БМУ R/2TM R-AM L/БКУY L	-	3	-	-
БКУY R/AM R-2TM L/БМУ L	-	3	-	-
1MR-KR-2TML	-	3	-	2
2TMR-KL-1ML	-	3	-	2
1MR-KR-3TML	2	1	-	2
3TMR-KL-1ML	2	1	-	2




↔ - chenille thread direction

<p>1</p>	<p>БМР/2ТМР-АМЛ/БКХЛ</p>  <p>IT IS NOT ALLOWED TO USE FABRIC WITH LINES, IN CHECKS OR WITH LARGE OBJECTS!</p>
<p>2</p>	<p>БМР/2ТМР-АМЛ/БКХЛ -----</p>  <p>IT IS ALLOWED TO USE FABRIC WITH LINES, IN CHECKS OR WITH LARGE OBJECTS!</p>

-  - base
-  - coordinate



 - base






 -base

1

Furniture is packed

Carefully remove the packaging of products without the use of sharp objects.
Prepare the mounting kit for mounting the sofa.




2

Preparation for fixing the back:

- 1) Install the seat with the support box on the legs.
- 2) Taking the sofa seat from below, lift it slightly up and move it to the front position, opening the place for linen.

Hold the support box so that it does not move along with the seat.

- 3) Remove the pillows from the box and put them aside to the installation.




3


Fasten the back to the box

Put the backrest with a rigid side with attached loops on the open position of the sofa box so that the holes on the hinges attached to the back match the holes on the back of the box. Using a screwdriver with a cross tip, attach the hinges to the box with screws A-6 pcs.
Make sure that the seat and back are on the same level without any displacements.


Lift the attached swivel back from the middle of the sofa up.




4 Move of the seat
Lift up the seat a little up, move it back and set the sofa in a convenient place for use.




5 Attachment of sidewalls
Raise one side up at the appropriate side of the sofa, and carefully gently move from up to down fix the mounting elements on the sidewall and on the couch.
Similarly, attach the sidewall on the other side.



6 Arrangement of pillows
Place pre-unpacked pillows on the back.



7 *The sofa is assembled*
Furniture is ready for use!




Position for seating

Installation of other products with 3TM section is done in the same way!

Dismantling is done in reverse order!


1 *Furniture is packed*



Carefully remove the packaging from the product without the use of sharp objects.
Prepare mounting kit.


2 Preparing the 2T section for mounting the back:

- 1) Install the seat of 2T section with the support box on the legs.
- 2) Take the seat section from below, lift it slightly up and move it to the front position, opening the place for linen.
Hold the support box so that it does not move along with the seat.
- 3) Remove the pillows(if any) from the box and put them aside to the installation.



3 Fasten the back to the 2T section box.

Put the back with a rigid side with attached loops to the released area of the box section so that the holes on the hinges attached to the back match the holes on the back of the box. Using a screwdriver with a cross tip, attach the hinges to the box with A-4 screws.




Make sure the seat and back are at the same level without any displacements.

Lift the attached rotary backrest from the middle of the section upwards.


4 Move of the seat

Lift the seat a little upwards, move it back and place the section in a convenient place for use.




5 Connection of sections

Install the sections in a proper place close to each other. Raise the AM section lightly and gently move from top to bottom, attach the fastening elements (hooks) of the sections.




6 Mounting the back of the AM section

Lift up the back at the back part of the AM section and carefully move from up to down to fix the mounting elements.



7 Install additional backrest of section AM


Place an additional backrest near the back of the AM section.



8

Fastening of the sidewalls.


Lift one side up at the appropriate side of the product, and carefully gently move from up to down and fix the mounting elements on the sidewall and on the couch. Similarly, attach the second sidewall on the other side.



9

Arrangement of pillows


Place the pillows on the back (if any).



10

The corner set is assembled

Furniture is ready for operation!




Position for seating

Assembling of other corner products is carried out similarly!

Dismantling is done in reverse order!


1 **Furniture is packed**



Carefully remove the packaging from the product without the use of sharp objects.
Prepare mounting kit.


2 **Preparing the section with transformation for mounting the back:**

- 1) Install the seat of 2T (3T) section with the support box on the legs.
- 2) Take the seat section from below, lift it slightly up and move it to the front position, opening the place for linen.
Hold the support box so that it does not move along with the seat.
- 3) Remove the pillows(if any) from the box and put them aside to the installation.




3 **Fastening the back to the box of sections 2T (3T).**

Put the back with a rigid side with attached loops on the released area of the box section so that the holes on the hinges attached to the back match the holes on the back of the box. The back of the section 3T has three loops, and sections 2T has two. Using a screwdriver, attach the hinges to the 2T with A-4 screws. (up to 3T A-6 pcs).
Make sure the seat and back are at the same level without any displacements.
Lift the attached rotary backrest from the middle of the section upwards.




4 **Move of the seat**

Lift the seat up a little, move it to the back until it stops.



7 Model mounting


Place the sections next to each other in accordance with the markings.



The mounting of the product begins with the connection of the corner section and the section with the transformation mechanism: lift the corner section (KL / KR) slightly up near the 2TM (3TM) section and gently move from the top to down, connect the mounting elements to the sections. Attach section 1M with an corner section: lift section 1M slightly up near the corresponding side of the corner section and gently move from top to bottom, attach the mounting elements to the sections.

8 Sidewalls fixing


Place sidewalls near the sides of the product.



Lift one side up at the appropriate side of the product and gently move from top to bottom, attach the mounting elements on the sidewall and in the appropriate section. Similarly, attach the sidewall on the other side.


9 Arrangement of optional back and pillows(if any)

Place an additional backrest near the thin back of the corner section. Place the pillows near the back of the product.








10 The corner set is assembled

Furniture is ready for use!



Position for seating

<p>1 <u>Furniture is packed</u></p> <p>Carefully remove the packaging from the product without the use of sharp objects.</p> <p>Prepare mounting kit.</p>	 <p>Sidewalls Seat and back</p>
<p>2 Preparation for the installation of the chair:</p> <p>Open the box (the place for linen), by lifting the seat of the chair up. Remove the pillow from the box (if any) and put them aside to the installation.</p>	
<p>Backrest mounting:</p> <p>Without closing the box, place the backrest around the corresponding side of the seat, combining the holes with the nuts with the corresponding openings on the box and attach the back with bolts (B-4pcs.) on the inside of the box.</p>	 <p>x4</p> <p>B</p>
<p>4 Sidewall mounting</p> <p>Place sidewalls near the sides of the chair. Lift one side up at the appropriate side of the chair and gently move from top to bottom, attach the mounting elements on the sidewall and the box of the chair. Similarly, attach the sidewall on the other side.</p>	
<p>5 Arrangement of pillows (if any)</p> <p>Place a pre-unpacked pillow on the back.</p>	
<p>6 Armchair mounted</p> <p>Place an armchair in a convenient place for use.</p> <p><u>Furniture is ready for use!</u></p> <p><u>Position for seating!</u></p>	