

BEST

CITY

Technical Reference Book and Assembly and Operation Guide




TABLE OF CONTENTS

TECHNICAL DESCRIPTION OF THE MODEL	1-2
PRODUCTS WHICH ARE A PART OF MODEL	3-5
CITY. EXTRA PRODUCTS WHICH ARE A PART OF MODEL.....	6
CITY W/P. EXTRA PRODUCTS WHICH ARE A PART OF MODEL.....	7
TABLE OF COMPLETING MODEL WITH PILLOWS.....	8
CITI W/P. PRODUCTS WHICH ARE A PART OF MODEL.....	9-11
CHENILLE THREAD DIRECTION	12
FABRIC COMBINATION OPTIONS	13
CITY W/P. FABRIC COMBINATION OPTIONS	14
SET OF FASTENERS.....	15
INSTRUCTIONS FOR PREPARING CORNER 12 TO USE	16-17
NSTRUCTIONS FOR PREPARING DL12 TO USE.....	18-20
INSTRUCTIONS FOR PREPARING K1TO USE.....	21
TRANSFORMATION GUIDE OF CORNER MODEL	22
TRANSFORMATION GUIDE OF DL12	23

In the production of our furniture, we focus on using only high-quality components and modern technologies. "ICity" model is a set of modern upholstered furniture for the office and home, designed and manufactured to meet the requirements of functionality and ergonomics, using quality and environmentally friendly materials in accordance with GOST 16371 and GOST19917.

The products are manufactured in the conditions of functioning of the certified Quality Management System ISO 9001: 2015 (certificate number UA228155 / 1



"City" is an elegant and original set of modern upholstered furniture, which combines practicality and comfort. The model includes corner sets, double sofa bed (DL2), armchair (K1) and armchair-bed (KB). The main feature of the City model is the presence of head rest pillows in each model product. The head rest pillows have a construction with lifting mechanism. The advantage of this design is in the presence of a zipper, thanks to which the pillow headrest can be released, that is convenient not only during operation, but in the care of the product. The head rest pillows are part of the back, so the products of the model "City" are not manufactured without head rest pillows .

For products "City w/pgch" (without covers of pillows-headrests), it is obligatory to order covers or a set of covers. Corner sets consist of two sections: one section with a transformation mechanism (2T), and the other with place for storing lingerie (AM).

The 2T section can be fitted with one of two types of sidewalls: one sidewall is equipped in the front with a lifting mechanism, which has six positions, and the other without a lifting mechanism.

AM section is complete with a sidewall with a laminated shelf or side panel combined with a storage.

The mechanism of transformation "dolphin" designed for daily use and in the expanded form with the section AM forms a full bed, which provides the maximum comfortable rest.

Products DL2, Kb and K1 are equipped with identical sidewalls, which are structurally and in size differ from the sides of the corner set.

There is no lifting mechanism in the sidewalls DL2, KB and K1.

The armchair K1 has a place for storage of linen.

Sofa bed (DL2) and armchair-bed (KB) are equipped with the mechanism of transformation "Verona", which is based on the pull-out mechanism "dolphin": the mechanism of transformation in a folded position is located under the seat of the product and decomposes forward, forming a complete sleeping area perpendicular to the back. The retractable part of the sleeping area consists of two parts and after transformation one of them is the middle of the sleeping area and is located on the shield, and the second part is mounted on the metal support. It is recommended to order additional pillows P5, P18, P 65, P85 to the model.

Basic materials used for production of the model:

Seat: pine wood, zig zag spring (AM, 2T), furniture webbing (DL2, KB, K1), polyurethane foam, faizerteks, sintepon.

Backrest: pine wood, chipboard, fiberboard, polyurethane foam, faizertex.

Sidewalls: Particleboard, Particleboard Laminated, Polyurethane foam, Plywood, faizertex.

The place for linen: laminated particle board, laminated fiberboard, pine wood.

Pillow-headrest: polyurethane foam, syntepon.

Additional pillow: Airfayber, interlining





Support: Laminated chipboard, colors in assortment

Maximal load acceptable fot the model:

sleeping place: dynamic loading up to 100 kg;
- static load up to 120 kg.

sidewalls: - maximal load up to 40 kg.





The manufacturer reserves the right to make changes in the design of furniture, without prior notice.

ГРАФІЧНЕ ЗОБРАЖЕННЯ	КОД	НАЗВА
 <p>L* 2820; В 1730; H** 910 (1100) СПМ 2100 x 1420 ВС 470</p>	2TR-AMPL	<p>City: double section with transformation with lifting sidewall right; A section with storage with laminated shelf left</p>
 <p>L* 2820; В 1730; H** 910 (1100) СПМ 2100 x 1420 ВС 470</p>	AMPR-2TL	<p>City: A section with storage with laminated shelf right double section with transformation with lifting sidewall left;</p>
 <p>L* 2820; В 1730; H** 910 (1100) СПМ 2100 x 1420 ВС 470</p>	2TR-AMKL	<p>City: double section with transformation with lifting sidewall right; A section with storage with combined shelf left;</p>
 <p>L* 2820; В 1730; H** 910 (1100) СПМ 2100 x 1420 ВС 470</p>	AMKR-2TL	<p>City: A section with storage with combined shelf right; double section with transformation with lifting sidewall left;</p>

*) - Overall dimensions of the products are given as reference. Permissible deviation of ± 20 mm

**) - In brackets the height of the product with raised headrests is indicated.



***) - a chipboard laminated shelf, the colors in the assortment.

ГРАФІЧНЕ ЗОБРАЖЕННЯ	КОД	НАЗВА
 <p>L* 2820; В 1730; H** 910 (1100) СПМ 2100 x 1420 BC 470</p>	2TGR-AMPL	<p>City:</p> <p>double section with transformation with soft sidewall (without lifting mechanism) right;</p> <p>A section with storage with laminated*** shelf left</p>
 <p>L* 2820; В 1730; H** 910 (1100) СПМ 2100 x 1420 BC 470</p>	AMPR-2TGL	<p>City:</p> <p>A section with storage with laminated*** shelf right</p> <p>double section with transformation with soft sidewall (without lifting mechanism) left;</p>
 <p>L* 2820; В 1730; H** 910 (1100) СПМ 2100 x 1420 BC 470</p>	2TGR-AMKL	<p>City:</p> <p>double section with transformation with soft sidewall (without lifting mechanism) right;</p> <p>A section with storage with laminated*** with storage shelf left</p>
 <p>L* 2820; В 1730; H** 910 (1100) СПМ 2100 x 1420 BC 470</p>	AMKR-2TGL	<p>City:</p> <p>A section with storage with laminated*** with storage shelf right</p> <p>double section with transformation with soft sidewall (without lifting mechanism) left;</p>

*) - Overall dimensions of the products are given as reference. Permissible deviation of ± 20 mm




**) - In brackets the height of the product with raised headrests is indicated.

***) - a chipboard laminated shelf, the colors in the assortment.

ГРАФІЧНЕ ЗОБРАЖЕННЯ	КОД	НАЗВА
 <p>L* 1820; В 1040; H** 910 (1100) СПМ 1950x1320 ВС 480</p>	DL2	<i>City:</i> 2 seat soda bed
 <p>L* 1130; В 1040; H** 910 (1100) СПМ 1950x620 ВС 480</p>	KB	<i>Cimi:</i> Крісло-ліжко
 <p>L* 1010; В 1040; H** 910 (1100) ВС 480</p>	K1	<i>City:</i> Armchair bed with storage

*) - Overall dimensions of the products are given as reference. Permissible deviation of ± 20 mm

**) - The height of the product with raised headrests is indicated.

ГРАФІЧНЕ ЗОБРАЖЕННЯ	КОД	НАЗВА
 (715x140x475)*	PGCh 10	City: Headrest pillow cover to: DL2 KB 2TR-AMT1L AMF1R-2TL 2TR-AMKL AMKR-2TL 2TrR-AMKL AMKR-2TPL 2TPR-AMPL AMPR-2TrL
 (595x140x475)*	PGCh11	City: Headrest pillow cover to: K1
 (560x70x300)*	Additional pillow P85	City: Additional pillow

*) -the specified dimensions of covers, are given as reference.






ГРАФІЧНЕ ЗОБРАЖЕННЯ	КОД	НАЗВА
	K-t PGCH 10(2)	<p><i>City w/pgch:</i> Set of headrest pillow covers to: <i>DL2 w/pgch</i></p>

Table of completing model with pillows

Product name	Headrest pillow covers	Headrest pillow covers	Additional pillow P85
	PGCH 10	PGCH 11	
2TR-AMKL	3	-	-
AMKR-2TL	3	-	-
2TR-AMI1L	3	-	-
AMPR-2TL	3	-	-
2TGR-AMKL	3	-	-
AMKR-2TGL	3	-	-
2TGR-AMPL	3	-	-
AMPR-2TGL	3	-	-
DL2	2	-	-
KB	1	-	-
K1	-	1	-

Products of the model "City w / pgch" can not be manufactured without headrest !

It is necessary to order pillows headrest PGCh 10-3 pieces in a fabric of another price category.

ГРАФІЧНЕ ЗОБРАЖЕННЯ	КОД	НАЗВА
	2TR-AMPL w/pgch	<p><i>City w/pgch:</i> double section without headrests with transformation with lifting sidewall right</p> <p>A section without headrests with storage with laminated shelf *** left;</p>
	AMPR-2TL w/pgch	<p><i>City w/pgch:</i> A section without headrests with storage with laminated shelf *** right;</p> <p>double section without headrests with transformation with lifting sidewall left;</p>
	2TR-AMKL w/pgch	<p><i>City w/pgch:</i> double section without headrests with transformation with lifting sidewall right</p> <p>A section without headrests with combined shelf*** with storage left;</p>
	AMKR-2TL w/pgch	<p><i>City w/pgch:</i> A section without headrests with storage with combined shelf*** with storage, right;</p> <p>double section without headrests with transformation with lifting sidewall left</p>





*) - Overall dimensions of the products are given as reference. Permissible deviation of ± 20 mm

**) - In brackets the height of the product with raised headrests is indicated.

***) - a chipboard laminated shelf, the colors in the assortment.

Products of the model "City w / pgch" can not be manufactured without headrest !

It is necessary to order pillows headrest PGCh 10-3 pieces in a fabric of another price category.

ГРАФІЧНЕ ЗОБРАЖЕННЯ	КОД	НАЗВА
 <p>L* 2820; В 1730; H** 910 (1100) СПМ 2100 x 1420 BC 470</p>	2TGR-AMPL w/pgch	<p><i>City w/pgch:</i></p> <p>double section without headrests with transformation with soft sidewall (without lifting) right</p> <p>A section without без headrests with storage with laminated shelf *** left;</p>
 <p>L* 2820; В 1730; H** 910 (1100) СПМ 2100 x 1420 BC 470</p>	AMPR - 2TGL w/pgch	<p><i>City w/pgch:</i></p> <p>A section without без headrests with storage with laminated shelf *** right;</p> <p>double section without headrests with transformation with soft sidewall (without lifting) left</p>
 <p>L* 2820; В 1730; H** 910 (1100) СПМ 2100 x 1420 BC 470</p>	2TGR-AMKL w/pgch	<p><i>City w/pgch:</i></p> <p>double section without headrests with transformation with soft sidewall (without lifting) right</p> <p>A section without без headrests with storage with combined shelf*** left</p>
 <p>L* 2820; В 1730; H** 910 (1100) СПМ 2100 x 1420 BC 470</p>	AMKR-2TGL w/pgch	<p><i>City w/pgch:</i></p> <p>A section without без headrests with storage with combined shelf*** right</p> <p>double section without headrests with transformation with soft sidewall (without lifting) left</p>

*) - Overall dimensions of the products are given as reference. Permissible deviation of ± 20 mm




**) - In brackets the height of the product with raised headrests is indicated.

***) - a chipboard laminated shelf, the colors in the assortment.

Products of the model "City w / pgch" can not be manufactured without headrest !

For products without headrests (w / pgch), a complete set of headrest (K-t PGCH 10 (2) to DL2) is ordered in a fabric of another price category.


PGCH 10 is ordered to KB, and to K1 - PGCH 11

ГРАФІЧНЕ ЗОБРАЖЕННЯ	КОД	НАЗВА
 <p>L* 1820; B 1040; H** 910 (1100) СПМ 1950x1320 ВС 480</p>	DL2 w/pgch	City: 2 seat sofa bed without headrests
 <p>L* 1130; B 1040; H** 910 (1100) СПМ 1950x620 ВС 480</p>	KB w/pgch	City: Armchair bed without headrests
 <p>L* 1010; B 1040; H** 910 (1100) ВС 480</p>	K1 w/pgch	City: Armchair without headrests with storage

*) - Overall dimensions of the products are given as reference. Permissible deviation of ± 20 mm


**) - In brackets the height of the product with raised headrests is indicated.

2TR-AMPL




Chenille thread direction

1



IT IS NOT ALLOWED TO USE FABRIC WITH LINES, IN CHECKS OR WITH LARGE OBJECTS


2



IT IS ALLOWED TO USE FABRIC WITH LINES, IN CHECKS OR WITH LARGE OBJECTS ONLY AS COORDINATE




- base



- coordinate

1



IT IS NOT ALLOWED TO USE FABRIC WITH LINES, IN CHECKS OR WITH LARGE OBJECTS




- base

Позиція	Графічне зображення	Найменування, позначення	Виріб, секція	Кількість (шт.)	Примітка
A		pin ST-7126		8	
B		washer M8	комплект	8	Fixing the shelf laminated to the AM section
		washer M8		8	
				8	
C		screw M6x40	комплект	1	Connection of sections
		washer M6		1	
D		Bolt M6x40	комплект	4	Fixing the sidewalls to the back
		washer M6		8	Fixing the sidewalls to the back and to the box
E		screw M6x20	ДЛ2 КЛ	4	Fastening the corners to the sidewalls
F		screw 3,5x35.05	ДЛ2	16	Fastening the corners to the sidewalls
			КЛ	12	
G		corner	ДЛ2	5	Seat fixation
			КЛ	4	

Set of fastneres of «City w/pgch» model is the same

1 *Furniture is packed*




Carefully remove the packaging from the product without the use of sharp objects. Put the pillows aside until the installation.
Prepare mounting kit for assembling

2 Preparation of laminated shelf for installation

Combined shelf comes mounted!

Place the shelf to have access to the holes on the underside of the shelf and screw in the pins (A).




3 Fixing the laminated shelf to the AM section

To fix the shelf, place the section to have the access at the same time to the bottom and top of the section. Place the shelf so that the installed studs enter the appropriate openings in the AM section. Attach the shelf to the section by twisting the nuts (B) with washers on the studs (A) from the underside of the section.


Adjust the position of the shelf so that its outer edges coincide with the base of the frame walls.

Tighten the nuts.




4

Place the AM section with a laminated shelf on a leg in a convenient place to use.



5 Installation of the product



Install the assembly units of the product in a convenient place for use near one another. Lift up the 2T section slightly at the appropriate side of the sidewall and gently move from top to bottom, connect the fastening elements of the section and the sidewall.



Lift up the AM section at the appropriate side of the 2T section and gently move from top to bottom to attach the fastening elements (hooks) of the sections.

6 Fixing Sections

Raise the seat of the AM section to have access to the inside of the box.




Align the hole on the box of the section AM with the hole with the nut on the section 2T and fix the sections with the screw furniture (C) with the washer on the inside of the box section AM

The rear walls of the assembly units should be on the same level.

Fastening of pillows-headrests

Attach the pillow headrests to the rollers on the backrest with the use of zippers.




Turn the attached headrest pillows in front and set their lower part to the seat.


8 The model is mounted

Furniture is ready for use!

Seating position




1 Furniture is packed



Carefully remove the packaging from the product without the use of sharp objects.


2 Fastening the corners to the sidewalls

Put the sidewall upside down, as shown in the figure. Align the holes in the corners (G-2 units on one side) with the corresponding holes on the sidewall and, using a screwdriver attach each cube (G) to the sidewall, first with a screw (E), and then a screw (F). Similarly, attach the corners to the second sidewall.




3 Fixing the corner to the back

Fit the back with the inner side up, as shown in the figure. Align the holes on the corner (G-1 pc.) with the corresponding holes on the back and, using a screwdriver, attach the corner (G) to the back with screw (F-2 pieces).




4**Fixing the sidewalls to the back**


Set the sidewallsat the sides of the backrest, combining holes on the sidewalls with the corresponding holes on the back. Attach the sidewalls to the back with a bolted connection (D) from the inside of the back using the "10" key.

**5****Fixing the upper seat**

Without changing the position of the product, place the upper seat of the sofa between the side walls and the back so that the holes in the upper seat are combined with the corresponding holes of the corners, which are attached to the back and sidewalls. Attach all the corners (G) with screws (F) to the upper seat of the sofa using a screwdriver. Set the sofa in the normal position on the legs.


**6**

Lift up and insert the retractable part under the upper seat so that the rollers of the mechanism are located behind the locking pin and move the retractable part to the back until it stops.





7**Fastening of pillows-headrests**

Attach the pillows headrests to the rollers on the back with the use of split zippers.

**8**

Turn the head rest pillows on the front and set their lower part to the seat.



Sofa is mounted



Dismantling of products is carried out in reverse order


1 Furniture is packed

Carefully remove the packaging from the product without the use of sharp objects. Open the armchair box and remove the headrest pillow, set it aside.



2 Fastening of sidewalls to chair K1


Raise the seat of armchair to open the access to the inside of the box and turn the chair up and place it on the back to open the access to the lower part of the chair. Unclip a piece of flizelin on the back of the chair to have access to the inside of the back. Install the sidewalls at the side of the chair, combining the holes on the sidewalls with the corresponding holes on the chair. Attach the sidewalls to the back and to the box on the inside of the box.




Unpacked pillow headrest attach to the roller on the back with a split zipper. Turn the headrest pillow on the front and set the lower part to the seat.

4 Install the chair in a convenient place for use.

The chair is ready for use



Вид ззаду




Seating position


Dismantling of products is carried out in reverse order

1 To transform the corner set into a sleep position


Lift the headrest pillows and place them on the back.




2 Pull the loops and move the bottom pull-out part of the 2T section forward until it stops



3 Raise up the seat of the retractable part upward and turn the mechanism of transformation into the upper position. Set the seat horizontally, holding with your hand.




4 The seat of the retractable part should be located on the shield, at the same level as the main part of the seat.



Sleeping mode

5



To use the pillow armrest:

Lift the front of the pillow armrest from the outside to the desired height (six positions).

To lower the pillow-armrest:

Lift the front of the pillow armrest from the outside up to the stop and lower from the topmost position to the sidewall.
If necessary, fix the position of the armrest manually so that it is level with the stationary pillow.

To use the storage:
Raise up the shelf side of the AM section.

To close the storage:
Lower the shelf cover

To use a place for laundry:



Raise up the seat of the AM section by holding it in the middle and holding it in place to avoid a sharp lift.

To close:

Lower the AM section down by pushing the seat in the middle.

1To transform DL2 into sleep mode



Lift the headrest and place it on the back.

**2**

Pull over the loop and move the bottom onward part until it stops.

3

Raise the seat of the retractable part upward and turn the mechanism of transformation into the upper position, set the seat horizontally, holding with your hand.

**4**

Lift the metal support up and install it vertically.
Pull the metal support out and install it on the floor.

5

Half of the seat of the retractable part should be located on the shield, and the other half on the metal support, on the same level as the main part of the seat.



Sleeping mode

Transformation into the seat position is reversed!

Transformation of a chair-bed is carried out similarly.