


# BLEST<sup>®</sup>

## FERGI

### Technical Reference Book and Assembly and Operation Guide



ISO 9001  
BUREAU VERITAS  
Certification



## ЗМІСТ

|  |       |
|--|-------|
| ТЕХНІЧНИЙ ОПИС МОДЕЛІ .....                                    | 1     |
| ВИРОБИ, ЩО ВХОДЯТЬ ДО СКЛАДУ МОДЕЛІ.....                       | 2     |
| ДОДАТКОВІ ВИРОБИ, ЩО ВХОДЯТЬ ДО СКЛАДУ МОДЕЛІ .....            | 3     |
| ФЕРГІ Б/П. ДОДАТКОВІ ВИРОБИ, ЩО ВХОДЯТЬ ДО СКЛАДУ МОДЕЛІ ..... | 4     |
| ФЕРГІ Б/П. ВИРОБИ, ЩО ВХОДЯТЬ ДО СКЛАДУ МОДЕЛІ .....           | 5     |
| КОНТРАСТНА ОЗДОБЛЮВАЛЬНА СТРОЧКА .....                         | 6     |
| НАПРЯМОК ШЕНІЛЬНОЇ НИТКИ.....                                  | 7     |
| ВАРІАНТИ КОМБІНУВАННЯ ТКАНИН .....                             | 8     |
| ФЕРГІ Б/П. ВАРІАНТИ КОМБІНУВАННЯ ТКАНИН .....                  | 9     |
| КОМПЛЕКТ ПОСТАВКИ КРІПИЛЬНИХ ВИРОБІВ .....                     | 10    |
| ІНСТРУКЦІЯ ПО ПІДГОТОВЦІ ДЛЗ ДО ЕКСПЛУАТАЦІЇ.....              | 11-12 |
| ІНСТРУКЦІЯ ПО ПІДГОТОВЦІ КУТА ДО ЕКСПЛУАТАЦІЇ .....            | 13-15 |
| ІНСТРУКЦІЯ ПО ТРАНСФОРМАЦІЇ .....                              | 16    |

In the production of our furniture, we focus on using only high-quality components and modern technologies.

The FERGI model is a set of modern upholstered furniture for the office and home, designed and manufactured to meet the requirements of functionality and ergonomics, using quality and environmentally friendly materials in accordance with GOST 16371 and GOST19917.

*The products are manufactured in the conditions of functioning of the certified Quality Management System ISO 9001: 2015 (certificate number UA228155 / 1*

*"Fergi" - an original set of modern upholstered furniture, which, along with compactness, perfectly combines functionality and comfort.*

*The model includes a sofa bed and corner set that consist of two sections: one section with a transformation mechanism and section A without the functions involved in the formation of the sleeping area. If necessary, to increase the area of the sleeping area, the part of the back of section A rises upwards, and fastens on the with a button. The section with the mechanism of transformation has a niche for the storage of bed linen.*

*Pay attention! Due to the design features of the mechanism, the storage of section 2TM, 3TM has a limited capacity. Bed linen should be placed on the middle part of the storage.*

*The model has the high legs of hardwood.*

*The mechanism of transformation is intended for daily use and is very convenient. The feature of the mechanism is the presence of turning legs which, when the sofa is folded are located in the upper position and when unfolded - occupy a lower position and serve as a support for the seat.*

*Fergi is equipped with soft sidewalls.*

*To provide the additional comfort of the backrest in sitting position the model "Fergie" is equipped with pillows. Seats and pillows are decorated with insert stitching that prevent fabric from tensile damages. The cover of the model can be decorated with decorative contrasting stitches on the seat, sidewalls and pillows.*

*The main materials used to make the model:*

*Sitting: Pine wood, chipboard, slats, spring block bonnel, felt, polyurethane foam, sintepon;*

*Back: Pine wood, fibreboard, slats (besides the back of section A), spring block bonnel, felt, polyurethane foam, sintepon;*

*Storage for linen: Particleboard laminated, fiberboard, fiberboard laminated;*

*Sidewall: Pine wood, chipboard, fiberboard, plywood, polyurethane foam, sintepon;*


*Pillows: Airfiber, Sintepon, Flizelin;*

*Leg: Hardwood (two colors: light, dark)*

*Maximal load acceptable for the model*

- sleeping place: dynamic loading up to 160 kg;  
- static load up to 200 kg.*
- sidewalls: - maximal load up to 15 kg.  
- static load up to 25 kg.*
- niche for bedding - maximal load up to 15 kg*

*The manufacturer reserves the right to make changes in the design of furniture, without prior notice.*




L 2210\*; B 1065; H\*\* 720;  
СПМ 1480 x 1960  
BC 435

**DL3**

*Fergi:*

*Sofa bed 3 seater*



L 2370\*; B 1675; H\*\* 720;  
СПМ 1425 x 2120  
BC 435

**BMR/AR-2TM/BML**


*Fergi:*

*Soft sidewall right;*

**A section without**

*functions right ;  
double section with  
transformation with storage*

*Soft sidewall left;*



L 2370\*; B 1675; H\*\* 720;  
СПМ 1425 x 2120  
BC 435


**BMR/2TM-AL/BML**

*Fergi:*

*Soft sidewall right;*

*double section with  
transformation with storage  
A section without  
functions left ;*

*Soft sidewall left;*



L 2920\*; B 1675; H\*\* 720;  
СПМ 1425 x 2670  
BC 435


**BMR/AR-3TM/BML**

*Fergi:*

*Soft sidewall right;*

*A section without functions*

*right  
triple section with  
transformation with storage  
Soft sidewall left*



L 2920\*; B 1675; H\*\* 720;  
СПМ 1425 x 2670  
BC 435

**BMR/3TM-AL/BML**

*Fergi:*

*Soft sidewall right;*

*triple section with  
transformation with storage*



*A section without functions*

*left*

*Soft sidewall left*


\*) - Dimensions are shown as reference, permissible deviation is  $\pm 20$  mm.

\*\*) - A - Height of product excluding the pillows height

|  |                    |  |
|--|--------------------|--|
|  <p>110(200)x450x700*</p> | <p><b>P127</b></p> | <p><i>Pillow to:</i><br/>2T<br/>A</p>  |
|  <p>110(200)x450x980*</p> | <p><i>P128</i></p> | <p><i>Pillow to</i><br/>3T<br/>DL3</p> |


\*) --the specified dimensions of covers, are given as reference.

| <p>TABLE OF COMPLETING MODEL WITH PILLOWS</p> |  |  |              |
|---|--|--|--------------|
| <p>Product name</p>                           | <p><i>Pillow P127 to</i><br/>2T, A</p> | <p><i>Pillow P128 to</i><br/>3T. DL3</p> | <p>TOTAL</p> |
|   | <p><b>P127</b></p>                     | <p><b>P128</b></p>                       |              |
| <p>BMR/2TM-AL/BML<br/>BMR/AR-2TM/BML</p>      | <p>3</p>                               | <p>-</p>                                 | <p>3</p>     |
| <p>BMR/3TM-AL/BML<br/>BMR/AR-3TM/BML</p>      | <p>1</p>                               | <p>2</p>                                 | <p>3</p>     |
| <p>DL3</p>                                    | <p>-</p>                               | <p>2</p>                                 | <p>2</p>     |




**K-t P127(3)**

Fergi w/p:  
set of pillows to:  
*2T-A,*  
*A-2T*








**K-t P127 -P128(2)**

Fergi w/p:  
set of pillows to:  
*3T-A,*  
*A-3T*




**K-t P128(2)**


Fergi w/p:  
set of pillows to:.  
DL3

|  |                           |  |
|--|---------------------------|--|
|  <p><b>L 2210*; B 1065; H 720;</b><br/>СПМ 1480 x 1960<br/>BC 435</p>   | <p>DL3 w/p</p>            | <p>Fergi w/p:<br/>Sofa bed 3 seater<br/>without pillows</p>  |
|  <p><b>L 2370*; B 1675; H 720;</b><br/>СПМ 1425 x 2120<br/>BC 435</p>   | <p>BMR/AR-2TM/BML w/p</p> | <p>Fergi w/p:<br/>Soft sidewall right;<br/>A section without pillows<br/>and functions right ;<br/>double section<br/>without pillows with<br/>transformation with storage</p> <p>Soft sidewall left;</p>      |
|  <p><b>L 2370*; B 1675; H 720;</b><br/>СПМ 1425 x 2120<br/>BC 435</p> | <p>BMR/2TM-AL/BML w/p</p> | <p>Fergi w/p:<br/>Soft sidewall right;<br/>double section<br/>without pillow with<br/>transformation with storage<br/>A section without<br/>pillows and<br/>functions left ;<br/>Soft sidewall left;</p>       |
|  <p><b>L 2920*; B 1675; H 720;</b><br/>СПМ 1425 x 2670<br/>BC 435</p>  | <p>BMR/AR-3TM/BML w/p</p> | <p>Fergi w/p:<br/>Soft sidewall right;<br/>A section without<br/>pillows and functions<br/>right<br/>triple section<br/>without pillows and with<br/>transformation with storage</p> <p>Soft sidewall left</p> |
|  <p><b>L 2920*; B 1675; H 720;</b><br/>СПМ 1425 x 2670<br/>BC 435</p> | <p>BMR/3TM-AL/BML w/p</p> | <p>Fergi w/p:<br/>Soft sidewall right;<br/>triple section<br/>without pillows and with<br/>transformation with storage<br/>A section without<br/>pillows and functions<br/>right<br/>Soft sidewall left</p>    |


\*)- Dimensions are shown as reference, permissible deviation is  $\pm 20$  mm.



Front view



Front view



Rear view




- contrast decorative stitch




- stitch the same color as fabric

**BMR/AR-2TM/BML w/p**




Front view



Rear view


 - Chenille thread direction

1




IT IS NOT ALLOWED TO USE FABRIC WITH LINES, IN CHECKS OR WITH  
LARGE OBJECTS!

2



IT IS ALLOWED TO USE FABRIC WITH LINES, IN CHECKS OR WITH  
LARGE OBJECTS!


3



IT IS NOT ALLOWED TO USE FABRIC WITH LINES, IN CHECKS OR WITH  
LARGE OBJECTS!


-  - base
-  - coordinate

1





**IT IS NOT ALLOWED TO USE FABRIC WITH LINES, IN CHECKS OR WITH  
LARGE OBJECTS!**

3



**IT IS NOT ALLOWED TO USE FABRIC WITH LINES, IN CHECKS OR WITH  
LARGE OBJECTS!**




|          |   |   |                              |                 |  |          |   |
|----------|---|---|------------------------------|-----------------|--|----------|---|
| <b>A</b> |    |    | <b>Leg Fergi</b>             |                 | <b>ДЛЗ</b>   | <b>4</b> | Fastening to sidewalls  |
|          | <b>Вид спереду</b>  | <b>Вид збоку</b>  |                              |                 | <b>БМР/АР-2ТМ/БМЛ<br/>БМР/2ТМ-АЛ/БМЛ<br/>БМР/АР-3ТМ/БМЛ<br/>БМР/3ТМ-АЛ/БМЛ</b>         | <b>6</b> | Fastening to sidewalls and A section                          |
| <b>B</b> |    |   | <b>Leg Fergi</b>             |                 | <b>БМР/АР-2ТМ/БМЛ<br/>БМР/2ТМ-АЛ/БМЛ<br/>БМР/АР-3ТМ/БМЛ<br/>БМР/3ТМ-АЛ/БМЛ</b>         | <b>2</b> | Fastening to section A  |
| <b>C</b> |   |   | <b>Leg Fergi</b>             |                 | <b>ДЛЗ<br/>БМР/АР-2ТМ/БМЛ<br/>БМР/2ТМ-АЛ/БМЛ<br/>БМР/АР-3ТМ/БМЛ<br/>БМР/3ТМ-АЛ/БМЛ</b> | <b>4</b> | <b>Fastening to the box</b>                                   |
| <b>D</b> |  |  | <b>Furniture screw M6x30</b> | <b>комплект</b> | <b>ДЛЗ<br/>БМР/АР-2ТМ/БМЛ<br/>БМР/2ТМ-АЛ/БМЛ<br/>БМР/АР-3ТМ/БМЛ<br/>БМР/3ТМ-АЛ/БМЛ</b> | <b>4</b> | <b>Fastening of the leg</b>                                   |
|          |  |   | <b>Washer M6</b>             |                 |  |          |   |
| <b>E</b> |  |  | <b>Болт М6х60</b>            | <b>комплект</b> | <b>ДЛЗ</b>   | <b>8</b> | Кріплення боковин   |
|          |  |   | <b>Washer M6</b>             |                 | <b>БМР/АР-2ТМ/БМЛ<br/>БМР/2ТМ-АЛ/БМЛ<br/>БМР/АР-3ТМ/БМЛ<br/>БМР/3ТМ-АЛ/БМЛ</b>         | <b>8</b> | Кріплення боковин   |
|          |   |   |                              |                 |  | <b>4</b> | Кріплення спинки секції А                                     |
|          |   |   |                              |                 |  | <b>4</b> | З'єднання секцій  |
| <b>F</b> |  |  | <b>Furniture screw M6x50</b> |                 | <b>ДЛЗ<br/>БМР/АР-2ТМ/БМЛ<br/>БМР/2ТМ-АЛ/БМЛ<br/>БМР/АР-3ТМ/БМЛ<br/>БМР/3ТМ-АЛ/БМЛ</b> | <b>4</b> | Кріплення спинки секції з механізмом трансформації (2ТМ, 3ТМ) |

**1**


**Furniture is packed**

Carefully remove the packaging from the product without the use of sharp objects. Put the pillows aside until the installation. Prepare mounting kit for assembling



**Fixing the legs to the sidewalls.**

Place the sidewalls so as to have access to the bottom surface. Set the legs (A-2 units on one side) in corresponding holes on the bottom surface of sidewalls and screw them up.



**Pay attention! The legs must be installed rounded side outwards at an angle of approximately 45 ° to the side.**


**3**

**Fixing legs to the box**

Place the seats with the support box upwards to have access to the bottom of the box.


Raise the box slightly up so that you have free access to the inside of the box. Install the legs (C-4 units) step-by-step on bottom of the box, matching the appropriate holes at the corners of the box with holes on the legs, and attach them to the inside of the box with a furniture screw (D-1 pc on one leg) using a screwdriver. Close the box and place the product on the legs.

Gently turn the products up and vice versa to carry out operations so as not to damage the legs and other parts of the product.




**4 Eastening the sidewalls**

Taking a seat on the sofa below, lift it to the top position, I open access to the inside of the box. Place the sidewalls around the boxes from the respective sides and, by combining the holes with the nuts on the sidewalls with holes in the box, attach the sidewalls to the box by bolted connection (E-4 pcs on one side) from the inside of the box.

**5****Backrest mounting**


Move the seat to the front. Attach the backrest to the back of the box and combine the holes in the box with the corresponding holes in the back, attach the hinges to the back with the screws of the furniture (F - 2 pcs per loop). Lift the seat up a little, move it to the back until it stops and install the sofa in a convenient place for use.

**Arrangement of pillows (if available)**

Place the pillows around the back of the product.

**Sofa-bed mounted**




**Furniture is ready for use**



**Dismantling is done in reverse order!**


## 1 Furniture packed

Carefully remove the packaging from the product without the use of sharp objects. Prepare the mounting kit for mounting the sofa.



### Fixing the legs to the sidewall

Place the sidewalls so as to have access to the bottom. Install legs (A-2 units on one side) step by step in appropriate openings on the bottom surface of sidewalls and screw them up.




**Pay attention!** The legs must be positioned rounded side outside at an angle of approximately 45 °. If necessary, adjust the pin, turn it in the desired direction using a key.

### Fixing legs to section A

Put section A upward to have access to the bottom of the section. On the lower surface of section A, install legs (A-2 pcs.) in the holes in the corners of the front part and legs (B-2 pcs.), with pins in the corresponding holes in the corners and screw them up.

Gently turn the products upside down and vice versa to carry out operations to prevent damage to the legs and other parts of the product.




**Fastening the back and sides of section A**

Place Section A on the side to have access to the bottom and back of the section and to the surface of the section for fixing the sidewall at the same time. Unzip the zipper on the bottom of the flizelin and open access to the inside of the frame part.


Place the sidewall on section A and, by matching the corresponding openings on the frame of section A with openings on the sidewall, attach the sidewall with the bolted connection D-4 piece. from the inside of the frame.

Attach the back to section A and, by matching the corresponding openings on the frame of section A with holes on the back, attach it with bolted connection D-4 pcs. from the inside of the frame.

Put the product on the legs


**5 Fastening legs to box 2TM section**

Place the seats with the support box upwards to have access to the bottom of the box. Raise the box slightly up so you have free access to the inside of the box. Install the legs (B-4 units) step-by-step on the bottom of the box, matching appropriate openings at the corners of the box with apertures on the legs, and attach them to the inside of the box with a furniture screw with a washer (P-1 pc on one leg) using a screwdriver. Close the box and place the product on the legs.



**6**

Open the access to the inside of the section box with the transformation mechanism. Attach section A to the open section with the transformation mechanism and, by matching the appropriate openings in the sections, connect them together with a D-4 bolted joint. Similarly, attach the sidewall to the section with the transformation mechanism.




When installing, keep in mind that the fabric label "BLEST" is located only on the left side.

**^ Кріплення спинки 2ТМ (3ТМ)**

Перемістіть сидіння в передне положення. Пристикуйте спинку до задньої частини секції з механізмом трансформації та, сумістивши отвори на петлях коробки з відповідними отворами на спинці, прикріпіть петлі до спинки гвинтами меблевими (Е-2 шт. на одну петлю).

Піднявши сидіння трохи вгору, перемістіть його до спинки до упору та встановіть виріб в зручному для експлуатації місці.




Arrangement of pillows (if available)

Place the pillows near the backrest of product.

The product is mounted


Furniture is ready for use



**1** Seating position


To transform a sofa bed into a sleep position

Take the pillows from the backrest of the product.




**2** Taking the section seat with the transformation mechanism from below, lift it slightly up and move it to the front position.

Bed linen should be placed in the middle part of the storage.



**3** Slowly lower the backrest of the model. During the transformation, avoid putting the hands in the zone between two parts of the sofa.



**4** The product is laid out!

**Sleeping mode**

Transformation into the seat position is in reverse order!

Use the loop of the backrest to lift it when transformed into a seat position!

